


RNA-seq preprocessing

Mikhail Dozmorov

Spring 2018

Computational ecosystem of sequencing



<http://genomebiology.biomedcentral.com/articles/10.1186/s13059-016-0881-8>

FASTA/FASTQ format

FASTA: text-based representation of nucleotide sequence

```
>Human mitochondrion
GATCACAGGTCTATCACCCATTAAACCACTCACGGGAGCTCTCCATGCATTTGGTATTTTCGTCCTGGGGG
GTATGCACGCGATAGCATTGCGAGACGCTGGAGCCGGAGCACCCATATGTCGCAGTATCTGTCTTTGATTC
CTGCCTCATCCTATTATTTATCGCACCTACGTTCAATATTACAGGCGAACATACTTACTAAAGTGTGTTA
```

FASTQ: sequence and quality info

```
@M01127:9:000000000-A7LUJ:1:1101:14584:1820 1:N:0:3
CTCAGGTACAAAAGACAGCTGTTTATATTACAGTTTANNNNGTTTCAGAGTTGGACATTTCACTGTAGGATCTAAAACCACTGAGGTTCCAA
NNNNNNNNNNNNNNNNNTTCAACAAATAAGAAGGAAATGATGTAATTTATTACTGTGCAAGTCCAAATGTGTCAAACNNNNNCAGNNNNNN
TGAACCATCTG
+
<==<<-775<@#@#@#@---A-.888A/8///.-/99/#####+7777...-99.--9-8AA8.88.8-5--55A----5>+CE---+-87866
A#####321988088@*1*21*10*01*.6.66(/66?<?<66?6;6.(//.6<E=6;
#####-/-/<66<E6(/.<EEE(6(66(66<<6666(
@M01127:9:000000000-A7LUJ:1:1101:16774:1822 1:N:0:3
CGTCACACACATCAACCCATCTGCCAABAGCAGATCACNNNNCCCTCTCTCTCABAGCACCCACAGCCACATGCCAGTCAACCAATATCCACGCTCT
```



<http://zhanglab.cmb.med.umich.edu/FASTA/>

Quality of base calling

- **Phred quality score** is widely used to characterize the quality of base calling
- Phred quality score = $-10 * \log_{10}(P)$, where P is probability that base-calling is wrong
- Phred score of 30 means there is 1/1000 chance that the base-calling is wrong
- The quality of the bases tend to drop at the end of the read, a pattern observed in sequencing-by-synthesis techniques

Quality control

- **FASTQC** - Quality of raw and aligned sequencing data
 - Base quality per position
 - Nucleotide per position
 - GC content
 - K-mer enrichment



<http://www.bioinformatics.babraham.ac.uk/projects/fastqc/>, Video tutorial how to interpret,
<https://www.youtube.com/watch?v=bz93ReOv87Y>

RNA-seq-specific quality control

- **RNASeQC** - quality of mapped (aligned) data
- **RSeQC** - Python-based table and graph QC reports
- **MultiQC** - Summarization and visualization QC results for multiple samples in one report. Recognizes multiple QC tools

<http://www.broadinstitute.org/cancer/cga/rna-seqc>, Deluca DS, Levin JZ, Sivachenko A, Fennell T, Nazaire MD, Williams C, Reich M, Winckler W, Getz G. (2012) RNA- SeQC: RNA-seq metrics for quality control and process optimization. *Bioinformatics*

<http://rseqc.sourceforge.net/>, Wang L, Wang S, Li W* RSeQC: quality control of RNA- seq experiments *Bioinformatics* (2012) 28 (16): 2184-2185. doi: 10.1093/bioinformatics/bts356

<http://multiqc.info/>

Adapter trimming

- **Cutadapt** - full control over adapter trimming
- **FASTX-Toolkit** - set of tools for low-level sequence trimming/cutting
- **Trimmomatic** - well-documented and easy-to-use adapter trimmer using multiple algorithms. Handles single- and paired-end reads, accountss for read quality
- **Flexbar**: similar to Trimmomatic by functionality

<https://cutadapt.readthedocs.io/en/latest/guide.html>

http://hannonlab.cshl.edu/fastx_toolkit/

<http://www.usadellab.org/cms/?page=trimmomatic>

<https://github.com/seqan/flexbar/wiki/Manual>

Duplicates removal

- Duplicates may correspond to biased PCR amplification of particular fragments
- For highly expressed, short genes, duplicates are expected even if there is no amplification bias
- Removing them may reduce the dynamic range of expression estimates

Generally, do not remove duplicates from RNA-seq data

- If you ultimately want to remove duplicates, use Picard tools' `MarkDuplicates` command

<https://broadinstitute.github.io/picard/command-line-overview.html#MarkDuplicates>



Alignment

- RNA-seq aligners face an additional problem, not encountered in DNA-only alignment: many RNA-seq reads will span introns
- The average human intron length is $>6,000$ bp (some are >1 Mbp in length)
- In a typical human RNA-seq experiment using 100-bp reads, $>35\%$ of the reads will span multiple exons - align over splice junctions
- Aligners must be splice-aware, especially when aligning longer (>50 bp) reads

Three types of reads: exonic-, junction- and poly(A) end-reads.

```
ATCACAGTGGGACTCCATAAATTTTCT  
CGAAGGACCAGCAGAAACGAGACAAAA  
GGACAGAGTCCCAGCGGGCTGAAGGG  
ATGAAACAT'TAAAGTCAAACAATATGAA  
.....
```

Short sequence reads



Strategies for gapped alignments of RNA-seq reads

Exon-first method

- Map full, unspliced reads (reads originating from a single exon) to exons
- Divide the remaining reads into smaller pieces and map them to the genome
- An extension process extends mapped smaller pieces to find candidate splice sites to support a spliced alignment.


Strategies for gapped alignments of RNA-seq reads

Seed-and-extend methods


- Divide each RNA-seq read in small words (k-mers) of similar size
- Store a map of all k-mers in the genome in an efficient lookup data structure
- Map k-mers to the genome via the lookup structure
- Mapped k-mers are extended into larger alignments, which may include gaps flanked by splice sites.

Strategies for gapped alignments of RNA-seq reads

a Exon-first approach




b Seed-extend approach



<https://www.nature.com/articles/nmeth.1613>

Alignment to the reference genome is the most frequently used for transcript quantification



Alignment - Mapping RNA-seq reads to the genome

- **BWA** - general purpose algorithms based on Burrouws-Wheeler Transform
- **STAR** - fast and accurate aligner
- **HISAT**: (hierarchical indexing for spliced alignment of transcripts) uses two types of indexes for alignment: a global, whole-genome index and tens of thousands of small local indexes. Can detect novel splice sites, transcription initiation and termination sites. A part of the new “Tuxedo suite”, including StringTie and Ballgown
- **subread**: a fast and accurate aligner, R and command line. The whole package includes subjunc for junction detection, and featureCounts for extracting read counts per gene from aligned SAM/BAM files

<http://bio-bwa.sourceforge.net/>

<https://github.com/alexdobin/STAR>

<http://ccb.jhu.edu/software/hisat2/index.shtml>

<http://subread.sourceforge.net/>

Timeline and extensive comparison of aligners: https://www.ebi.ac.uk/~nf/hts_mappers/

De novo assembly

- **Trans-ABYSS** - De novo assembly of RNA-Seq data
- **Velvet-Oases** - De novo transcriptome assembler for very short reads
- **SOAPdenovo-trans** - De novo transcriptome assembler accounting for alternative splicing and different expression level among transcripts
- **Trinity** - RNA-Seq De novo Assembly Using Trinity set of tools

<http://www.bcgsc.ca/platform/bioinfo/software/trans-abyss>

<https://www.ebi.ac.uk/~zerbino/oases/>

<http://soap.genomics.org.cn/SOAPdenovo-Trans.html>

<https://github.com/trinityrnaseq/trinityrnaseq/wiki>